

Purchase Order Receipt Listing

Thursday, May 18, 2017 4:12:48 PM

All Vendors PO ID PO36114 Receipt Dates from 5/15/2017 to 5/15/2017 All Line Item Types
 All Item ID/GL/WOs All Rec. Employees All Currencies
 Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID/ Vendor Name											
PO36114	1	VU-MET002	A.M. Castle & Co. (Canada) Inc.- C/O 910720	D6102-013P 6061-T6 7.0X6.5X2.0 Each m137561	5/18/2017 50.0000 PLOU01	5/15/2017 50.0000	0.0000 0.0000	0.0000 0.0000	0 0	\$0.00	
USD	No										
4		M7075T6B1.500X1.5 f 00 7075 T6 BAR 1.500 f x 1.500 m137561		1,666 X 1.500	5/18/2017 12.0000 PLOU01	5/15/2017 12.0000 PLOU01	0.0000 0.0000	0.0000 0.0000	0 0	\$0.00	
No											
5		M7075T6B5.000X0.3 f 75 7075-T6 BAR 5.000" f X 0.375" m137561		387	5/18/2017 12.0000 PLOU01	5/15/2017 12.0000 PLOU01	0.0000 0.0000	0.0000 0.0000	0 0	\$0.00	
No											

Total Received Quantity: 74.0000
 Total Qty to Inspect (PO U/M): 0.0000
 Total Reject Quantity: 0.0000
 Total Receipt Value: \$0.00
 Total Balance Due Quantity: 0.0000



PACKING SLIP/
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 2

Shipment No:3279178

Ship From:	Sold To:	Ship To:	Deliver To:				
A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA				
Date Shipped	F.O.B.	Freight Terms	Carrier				
15-MAY-17	ORIGIN	Prepaid	MANITOULIN				
Shipment Details							
Final Destination Branch - TOR							
Order No	Line No	Item No	Description				
4746656	1	8641.MO	2.0000 PL_6061.T651.ALUMINUM.48.5000.144.5000 CUT RECTANGLE TO 7 IN (+ .1250/- .0000 IN) X 6.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS 4027				
Purchase Order No	Part Number	Ordered Qty	Invoice Qty				
36114	YOUR ITEM NUMBER: D6102-013	50.00 PCS	50.00 PCS				
Details							
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
121043222				36			328.1127
121043222				14			127.5994

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.
Date Printed: 15-MAY-2017 04:21:30 PM



PACKING SLIP /
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 2 of 2

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description for credit. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative.

Date:

Name:



MAY 15 2017


These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 15-MAY-2017 04:21:30 PM

INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3273910

Ship From:		Sold To:		Ship To:		Deliver To:	
A. M. CASTLE & CO. 3050 S HYDRAULIC WICHITA, KS 67216 USA		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON CA		A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped		F.O.B.		Freight Terms		Carrier	
09-MAY-17		ORIGIN		Prepaid		ABF	
Shipment Details				Final Destination Branch - TOR			
Order No		Line No		Item No		Description	
4746656		6		750067.MO		0.3750.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT LENGTH TO 5 IN () X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12	
Purchase Order No		Part Number		Ordered Qty		Invoice Qty	
36114		1.00 PCS		1.00 PCS		1.00 PCS	
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No.		Mill		Heat Number		Mech Id	
121051046				 178168B1		1	
Length (IN)		Width (IN)		Length (IN)		Shipped Qty(LBS)	
				28.3863			

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.


These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 09-MAY-2017 02:30:41 PM

INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3270225

Ship From:		Sold To:		Ship To:		Deliver To:	
A. M. CASTLE & CO. 14001 ORANGE AVENUE PARAMOUNT, CA 90723 USA		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped	F.O.B.	Freight Terms	Carrier	BOL No		BOL No	
04-MAY-17	ORIGIN	Prepaid	ABF	3270225-2		3270225-2	
Shipment Details		Final Destination Branch - TOR					
Order No	Line No	Item No	Description	Ordered Qty		Invoice Qty	
4746656	5	750412.MO	1.5000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 1.5 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12	1.00 PCS		1.00 PCS	
Details		ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS					
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
121042228			9373398	1			33.5163

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 04-MAY-2017 04:27:12 PM

INTERORG TRANSFER
PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castile & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Name: _____

Date: _____



60145-108

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any other person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 04-MAY-2017 04:27:12 PM

SHIP TO:
A M CASTLE & CO
14001 ORANGE AVE
P.O. BOX 1402
PARAMOUNT, CA 90723

SOLD TO:
AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

KAISER
ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4432137

CUSTOMER PO NUMBER:		WORK PACKAGE:	CUSTOMER PART NUMBER:		SHIP RUN/LOAD:	GOVT CONTRACT NUMBER:
391052-1			750067		103677/18	
KAISER ORDER NO:		SHIP DATE:	ALLOY:	CLAD:	TEMPER:	PRODUCT DESCRIPTION:
1218530-1		7-SEP-2016	7075	BARE	T651	Sawed Plate
WEIGHT SHIPPED:	QUANTITY:	TRUCK B/L #:	GAUGE:	DIAMETER/WIDTH:	LENGTH:	
3299 LB	12 PCS EST.	2062306	0.3750 IN (9.5250 MM)	48.500 IN (1231.9 MM)	144.500 IN (3670.3 MM)	

MHU 2026202: LOT 178168B1: 7 pieces;
MHU 2030006: LOT 182874B8: 5 pieces;

Certified Specifications

AMS 4045/RevL
CMMP 025/RevV

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

Lot: 178168B1 Cast 211

Test Results

Drop 65 Ingot 1

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	85.1 : 85.6 (587 : 590)	75.6 : 76.2 (521 : 525)	12.8 : 13.6

(ASTM E1251)

Chemistry:	Si	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.17	1.5	0.03	2.5	0.19	5.7	0.03	0.01	0.01	TOT 0.05
Lot: 182874B8	Cast 246		Drop 08		Ingot 4						Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	82.6 : 83.1 (570 : 573)	73.0 : 73.4 (503 : 506)	13.2 : 13.5

(ASTM E1251)

Chemistry:	Si	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.20	1.4	0.03	2.3	0.20	5.6	0.02	0.01	0.01	TOT 0.05





Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4432137

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

ORDER COMMENTS

AMC CA-15409 R 3

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order,

- has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- All test equipment and measuring devices are calibrated and certified in accordance with applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- has been thermally processed in compliance with AMS 2772, where applicable.
- is mercury free, within the limits of detection of ASTM E1215 (<1ppm).
- is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- is free of weld repair.
- meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER



CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE & CO.
14001 ORANGE AVE.
PARAMOUNT CA
90723
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110474038	4075	INCLUSION	Serial: 20161107-0110474038	Pg 1 of 2
CUSTOMER PURCHASE ORDER NO. & ITEM 399450				Constellium ORDER NO. 186857		<p>CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA</p> <p><i>Steve Good</i></p> <p>Steve Good - Laboratory Manager</p>
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.50000 in 38.10 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm	
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH						
CUSTOMER SPECIFICATION AMS QQ-A-250/12A						
PART NUMBER 750412		B/L NUMBER 70862		DATE SHIPPED 11/08/2016		
WT. SHIPPED 4280.000 LB	NO. OF PIECES 000004	GOVT. CONTRACT NO.				

ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS:

ASTM B594 REV 13 2013 W/ 0.125" DEADZONE Class A
AMS 4045K
AMS-STD-2154A 2012 TYPE1 CLASS A 100% SONIC MINUS DEADZONE
ASTM B209-14
BSS-7055B 2013 CLASS A 100% SONIC TESTED MINUS DEADZONE
CMMP025 REV U
CSTI006 REV E 2011 CLASS A 100% SONIC MINUS DEADZONE
DPS 4.713 REV AK 2012 CLASS A 100% SONIC MINUS DEADZONE
GAMPS 9101 REV B 2006 CLASS A 100% SONIC MINUS DEADZONE
PS 21211P 2010 CLASS A 100% SONIC MINUS DEADZONE

Load Details

Package	Net Lbs	Kg	Lot	Piece	Serial	Parent Lot
1001388179	1,070.000	485.343	9373398	01		
1001388179	1,070.000	485.343	9373398	02		
1001388179	1,070.000	485.343	9373398	03		
1001388179	1,070.000	485.343	9373398	04		

Lot: 9373398

Tensile - Room Temperature (US)

Direction	Tests	Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
		Min	Max	Min	Max	Min	Max	
LT	02	80.2	80.5	70.0	70.2	11.5	12.5	





CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE & CO.
 14001 ORANGE AVE.
 PARAMOUNT CA
 90723
 US

S
O
L
D
T
O

A M CASTLE
 1420 KENSINGTON ROAD, SUITE 220
 OAK BROOK IL
 60523
 US

A M CASTLE 110474038 4075				INCLUSION	Serial:20161107-0110474038 Pg 2 of 2																													
CUSTOMER PURCHASE ORDER NO. & ITEM 399450				Constellium ORDER NO. 186857		CERTIFICATION <i>"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."</i> <i>Constellium Rolled Products Ravenswood, LLC</i> <i>859 Century Road</i> <i>P.O. BOX 68</i> <i>RAVENSWOOD, WV 26164 USA</i>																												
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.50000 in 38.10 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm																													
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH																																		
CUSTOMER SPECIFICATION AMS QQ-A-250/12A																																		
PART NUMBER 750412		B/L NUMBER 70862		DATE SHIPPED 11/08/2016																														
WT. SHIPPED 4280.000 LB	NO. OF PIECES 000004	GOVT. CONTRACT NO.				Steve Good - Laboratory Manager 																												
Tensile - Room Temperature (SI) <table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Ultimate (N/MM2)</th> <th colspan="2">Yield (N/MM2)</th> <th colspan="2">Elongation (%)</th> <th>Report</th> </tr> <tr> <th>Direction</th> <th>Tests</th> <th>Min</th> <th>Max</th> <th>Min</th> <th>Max</th> <th>Min</th> <th>Max</th> <th></th> </tr> </thead> <tbody> <tr> <td>LT</td> <td>02</td> <td>553</td> <td>555</td> <td>483</td> <td>484</td> <td>11.5</td> <td>12.5</td> <td></td> </tr> </tbody> </table>										Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report	Direction	Tests	Min	Max	Min	Max	Min	Max		LT	02	553	555	483	484	11.5	12.5	
		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report																										
Direction	Tests	Min	Max	Min	Max	Min	Max																											
LT	02	553	555	483	484	11.5	12.5																											
Chemistry (Actual) <table border="1"> <thead> <tr> <th></th> <th>SI</th> <th>FE</th> <th>CU</th> <th>MN</th> <th>MG</th> <th>CR</th> <th>ZN</th> <th>TI</th> <th>ZR</th> </tr> </thead> <tbody> <tr> <td>Core</td> <td>0.07</td> <td>0.18</td> <td>1.51</td> <td>0.06</td> <td>2.59</td> <td>0.21</td> <td>5.68</td> <td>0.03</td> <td>0.00</td> </tr> </tbody> </table>									SI	FE	CU	MN	MG	CR	ZN	TI	ZR	Core	0.07	0.18	1.51	0.06	2.59	0.21	5.68	0.03	0.00							
	SI	FE	CU	MN	MG	CR	ZN	TI	ZR																									
Core	0.07	0.18	1.51	0.06	2.59	0.21	5.68	0.03	0.00																									
OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL. REMAINDER																																		
All material contained in this lot was cast and manufactured in the USA																																		
QUALITY TEXTS: AMC CA-15403A R 7																																		
THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.																																		
CHEMISTRY BY OES: ARKSPARK CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399 WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557 DUNS Number: 090570149; CAGE Code: 1YWL9 Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product. "END OF CERTIFICATION"																																		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36114**

Purchase Order Date 4/27/2017
PO Print Date 4/27/2017

Page Number 1 of 3

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W 0E9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

EMAILLED
APR 27 2017

Contact Name
Vendor Phone

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency USD
FOB Destination-Collect

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Promise Date	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D6102-013P	6061-T6 7.0X6.5X2.0	5/15/2017	Yes	5/15/2017	50.00 Each	\$31.65	\$1,582.50
2	D6104-003P	17-4 SS Roundbar 3.25"Od	5/15/2017	Yes	5/15/2017	20.00 Each	\$26.70	\$534.00

AS PER DWG D6102 REV. D
B160144
SIZE: 7.000" X 6.500" X 2.00" THICK
GRAIN DIRECTION ALONG 6.500"
MATERIAL 6061-T6/T6511 QQ-A-250/11
TOLERANCE AS PER QUOTE +.030"/-.000

AS PER DWG D6104 REV. B
B160146
SIZE: 3.25" X 3.80" LONG
MATERIAL 17-4 PH AS PER AMS 5643 OR AISI 630

Note:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36114**

Purchase Order Date 4/27/2017

PO Print Date 4/27/2017

Page Number 2 of 3

Order From :

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W 0E9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone

Chantal Lavoie
Customer POID
Customer Tax #
Terms
Currency
FOB

Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

10127-2607
Net 30
USD
Destination-Collect

3 D6104-005P

17-4 SS Roundbar 4.00"Od
5/15/2017
Yes
5/15/2017

10.00
Each
\$54.20
\$542.00

AS PER DWG D6104 REV. B

B160147

MATERIAL: 17-4 PH AS PER AMS 4643 OR AISI 630

SIZE: 4.00" X 5.10" LONG

SO1455

Line Total: \$542.00

4 M7075T6B1.500X1.500

7075 T6 BAR 1.500 x
1.500
5/15/2017
Yes
5/15/2017

12.00
f
\$21.06
\$252.72

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR

AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR

PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

SO17518

Line Total: \$252.72

Note:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36114**

Purchase Order Date 4/27/2017
PO Print Date 4/27/2017

Page Number 3 of 3

Order From:
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W 0E9
CANADA

VU-MET002

Ship To: DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency USD
FOB Destination-Collect

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

5 M7075T6B5.000X0.375

7075-T6 BAR 5.000" X
0.375"

5/15/2017

12.00

✓

\$19.85

\$238.20

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

6 71401-45

procurement quality clauses

5/15/2017

1.00

Line Total:

\$0.00

\$238.20

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

No

5/15/2017

Line Total:

\$0.00

PO Total:

\$3,149.42

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 4/27/2017